

Draft Model of Care for Dementia in Ireland (August 2021)

REFERENCES LIST

Abe, M., Tsunawaki, S., Matsuda, M., Cigolle, C. T., Fetters, M.D., & Machiko, I. (2019). Perspectives on Disclosure of the Dementia Diagnosis among Primary Care Physicians in Japan: A qualitatively driven mixed methods study. *BMC Family Practice*, 20(69).

Abley, C., Manthorpe, J., Bond, J., Keady, J., Samsi, K., Campbell, S. Watts, S. & Robinson, L. (2013). Patients' and Carers' Views on Communication and Information Provision when Undergoing Assessments in Memory Services. *Journal of Health Services Research & Policy*, 18(3): 167–173.

Adams, T. and Gardiner, P. (2005). Communication and Interaction within Dementia Care Triads: Developing a theory for relationship-centred care. *Dementia*, 4(2): 185–205.

Adams, W.L. McIlvain, H.E., Geske, J.A. & Porter, J.L. (2005). Physicians' Perspectives on Caring for Cognitively Impaired Elders. *The Gerontologist*, 45(2): 231–9.

Affleck, G. & Tennen, H. (1996). Construing Benefits from Adversity: Adaptational significance and dispositional underpinnings. *Journal of Personalised Medicine*, 64(4): 899-922.

ALCOVE Project (2013). *The European Joint Action on Dementia. Synthesis Report 2013. Alzheimer COoperative Valuation in Europe (ALCOVE)*. Available at: http://www.alcove-project.eu/images/pdf/ALCOVE_SYNTHESIS_REPORT_VF.pdf

Allen, J., Oybode, J. & Allen, J. (2009). Having a Father with Young-onset Dementia: The impact on well-being of young people. *Dementia*, 8(4): 455–80.

Alzheimer's Disease International (2019). *World Alzheimer Report 2019: Attitudes to Dementia*. London: Alzheimer's Disease International.

Alzheimer Disease International (2015). *Dementia Statistics*. Available at: <https://www.alzint.org/about/dementia-facts-figures/dementia-statistics/>

Alzheimer's Research UK Dementia Statistics 2018 (9th September 2018). Available at: <https://www.dementiastatistics.org/statistics/diagnoses-in-the-uk//>

Alzheimer Society of Ireland (2016). *A Charter of Rights for People with Dementia*. Dublin. Available at: <https://alzheimier.ie/wp-content/uploads/2018/11/Charter-of-Rights-for-People-with-Dementia.pdf>

Alzheimer's Society UK (2014). *Alzheimer's Society View on Diagnosis and Assessment*. Alzheimer's Society: UK.

Alzheimer's Society UK (2014). *Dementia 2014: Opportunity for Change*. Alzheimer's Society: UK.

American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders (5th Edition)*. Arlington, VA, American Psychiatric Association

Aminzadeh, F., Byszewski, A., Lee, L. & Molnar, F. (2012). Disclosing a Diagnosis of Dementia: Recommendations for a Person-centred Approach. *Canadian Geriatrics Society Journal of Care*, 2(3): 27-31.

Aminzadeh, F., Byszewski, A., Molnar, F. J., & Eisner, M. (2007). Emotional Impact of Dementia Diagnosis: Exploring persons with dementia and caregivers perspectives. *Ageing and Mental health*, 11(3): 281–290.

Aminzadeh, F., Molnar, F. J., Dalziel, W. B. & Ayotte, D. (2012). A Review of the Barriers and Enablers to Diagnosis and Management of Persons with Dementia in Primary Care. *Canadian Geriatrics Journal*. 15(3): 85-94.

Norberg, A. (2019) Sense of Self among Persons with Advanced Dementia, in T. Wisniewski (ed.) *Alzheimer's Disease*. Brisbane (AU): Codon Publications.

Back, A. L., Arnold, R. M., Baile, W. F., Fryer-Edwards, K. A., Alexander, S.C., Barley, G.E., Gooley, T.A., & Tulskey, J.A. (2007). Efficacy of Communication Skills Training for Giving Bad News and Discussing Transitions to Palliative Care. *Archives of Internal Medicine*, 167(5): 453– 460.

Back, A. L., Trinidad, S. B., Hopley, E. K., Arnold, R. M., Baile, W. F., & Edwards, K. A. (2011). What Patients Value when Oncologists give News of Cancer Recurrence: Commentary on specific moments in audio-recorded conversations. *The Oncologist*, 16(3): 342–350.

Baile, W. F., Buckman, R., Lenzi, R., Glober, G., Beale, E. A., & Kudelka, A. P. (2000). SPIKES – A Six-Step Protocol for Delivering Bad News: Application to the patient with cancer. *The Oncologist*, 5(4): 302–311.

Bailey, C., Dooley, J., & McCabe, R. (2019). 'How do they want to know?' Doctors' perspectives on making and communicating a diagnosis of dementia. *Dementia*, 18(7–8): 3004–3022.

Bamford, C., Lamont, S., Eccles, M., Robinson, L., May, C. & Bond, J. (2004). Disclosing a Diagnosis of Dementia: A Systematic review. *International Journal of Geriatric Psychiatry*, 19(2): 151-169.

Banerjee, S., Willis, R., Matthews, D., Contell, F., Chan, J., Murray, J. (2007). Improving the Quality of Care for Mild to Moderate Dementia: An evaluation of the Croydon Memory Service Model. *International Journal Of Geriatric Psychiatry*, 22(8): 782-8.

Banerjee, S. & Wittenberg, R. (2009). Clinical and Cost Effectiveness of Services for Early Diagnosis and Intervention in Dementia. *International Journal of Geriatric Psychiatry*. 24(7): 748-754.

Barca, M., Thorsen, K., Engedal, K., Haugen, P. & Johannessen, A. (2014). Nobody Asked me How I Felt: Experiences of adult children of persons with young-onset dementia. *International Psychogeriatrics*, 26(12): 1935–1944.

Barnes, D.E., Cenzer, I.S., Yaffe, K., Ritchie, C.S. & Lee, S. J. (2014) Alzheimer's Disease Neuroimaging Initiative: A point-based tool to predict conversion from mild cognitive impairment to probable Alzheimer's disease. *Alzheimer's Dementia* 10(6): 646–655.

Batsch, N.L. & Mittelman, M.S. (2012) *World Alzheimer Report 2012 Overcoming the Stigma of Dementia*. Alzheimer's Disease International. Available at: <https://www.alzint.org/u/WorldAlzheimerReport2012ExecutiveSummary.pdf>

Beattie, A., Daker-White, G., Gilliard, J., & Means, R. (2004). "How can they tell?" A qualitative study of the views of younger people about their dementia and dementia care services. *Health and Social Care in the Community*, 12(4): 359–368.

Beeri MS, Werner P, Davidson M. & Noy S (2002). The cost of behavioral and psychological symptoms of dementia (BPSD) in community dwelling Alzheimer's disease patients. *International Journal of Geriatric Psychiatry*, 17(5): 403– 408.

Begley, A., & Blackwood, B. (2000). Truth-telling versus hope: a dilemma in practice. *International Journal of Nursing Practice*, 6(1): 26–31.

Benbow, S. & Sharman, V. (2014) Review of family Therapy and Dementia: Twenty-five years on. *International Psychogeriatrics*, 26(12): 2037-2050.

Bennett, C., De Boos, D. & Moghaddam, N. (2019) Developing a tool to support diagnostic delivery of dementia. *Dementia*, 18(7-8): 2505-2525.

Bennet, P., Wang, W., Moore, M. & Nagle, C. (2017). Care Partner: A Concept analysis. *Nursing Outlook*, 65(2): 184-194.

Berenbaum, R., Tziraki, C. & Mazuz, K. (2017). The Enduring Self: Personhood, autonomy and compassion in the context of community-based dementia daycare centers. *Journal of Compassionate Health Care*, 4(8).

Birt, L., Poland, F., Csipke, E. and Charlesworth, G. (2017). Shifting Dementia Discourses from Deficit to Active Citizenship. *Social Health and Illness*, 39(2): 199-211.

Blackman, T., Mitchell, L., Burton, E., Jenks, M., Parsons, M., Raman, S., and Williams, K. (2003) The Accessibility of Public Spaces for People with Dementia: A new priority for the 'open city', *Disability & Society*, 18(3): 357-371.

Borson, S., Scanlan, J., Brush, M., Vitaliano, P., & Dokmak, A. (2000). The Mini-cog: A cognitive 'vital signs' measure for dementia screening in multi-lingual elderly. *International Journal of Geriatric Psychiatry*, 15(11):1021–1027.

Borson, S., Scanlan, J.M., Watanabe, J., Tu, S.P. & Lessig, M. (2006). Improving Identification of Cognitive Impairment in Primary Care. *Int. Jour. of Geriatric Psychiatry*, 21(4): 349-355.

Bradford, A., Kunik, M. E., Schulz, P., Williams, S. P. & Singh, H. (2009). Missed and Delayed Diagnosis of Dementia in Primary Care: Prevalence and contributing factors. *Alzheimer Disease and Associated Disorders*, 23(4):306-14.

Bradford, A., Upchurch, C., Bass, D., Judge, K., Snow, A. L., Wilson, N. & Kunik, M. E. (2011). Knowledge of Documented Dementia Diagnosis and Treatment in Veterans and their Caregivers/supporters. *American Journal of Alzheimer's disease and Other Dementias*, 26(2): 127–133.

Bracken-Scally, M., Timmons, S., O'Shea, E., Gallagher P., Kennelly S.P., Hamilton, V., & O'Neill D. (2020). *Second Irish National Audit of Dementia Care in Acute Hospitals*. Tullamore: National Dementia Office.

Brannelly, T. (2011). Sustaining citizenship: People with dementia and the phenomenon of social death. *Nursing Ethics* 18(5): 662-671.

Briggs, R., Dyer, A., Nabeel, S., Collins, R., Doherty, J., Coughlan, T., O'Neill, D. and Kennelly, S.P. (2017). Dementia in the Acute Hospital: The prevalence and clinical outcomes of acutely unwell patients with dementia. *Quarterly Journal of Medicine*, 110(1):33-37.

Brodaty, H., Connors, M.H., Loy, C., Teixeira-Pinto, A., Stocks, N., Gunn, J., Mate, K. & Pond, C.D. (2016) Screening for Dementia in Primary Care: A comparison of the GPCOG and the MMSE. *Dementia and Geriatric Cognitive Disorders*, 43(5-6):323-330

Brodaty, H., Pond, D., Kemp, N., Luscombe, G., Harding, L., Berman, K. & Huppert, F. (2002). The GPCOG: A new screening test for dementia designed for general practice. *Journal of the American Geriatrics Society*, 50(3): 530-534.

Brooker, D., La Fontaine, J., Evans, E., Bray, J. & Saad, K. (2014). Public Health Guidance to Facilitate Timely Diagnosis of Dementia: Alzheimer's Cooperative Valuation in Europe recommendations. *International Journal of Geriatric Psychiatry*, 29(7): 682-93.

Brooker, D. (2003) What is Person-centred Care for People with Dementia? *Reviews in Clinical Gerontology*, 13(3): 215-222.

Brown, J., Edwards, D.A., Rhodes, K.M., Brimicombe, D.J., & Payne, R.A. (2017). Association of Comorbidity and Health Service Usage among People with Dementia in the UK: A population-based study. *British Medical Journal*, Open 7:e012546. doi:10.1136/bmjopen-2016- 012546

Brown, R., Bylund, C.L., Eddington, J., Gueguen, J.A. and Kissane, D.W. (2010). Discussing Prognosis in an Oncology Setting: Initial evaluation of a communication skills training module. *Psycho-Oncology*, 19(4): 408-414.

Buckman, R.A. (2005) Breaking bad news: the S-P-I-K-E-S strategy. *Community Oncology*, March/April: 138-142.

Buggins, S. L., Clarke, C., & Wolverson, E. (2020). Resilience in Older People Living with Dementia – A narrative analysis. *Dementia*, 20(4): 1234-1249.

Bunn, F., Burn, A. M., Robinson, L., Poole, M., Rait, G., Brayne, C., Schoeman, J., Norton, S. & Goodman, C. (2017). Healthcare Organisation and Delivery for People with Dementia and Comorbidity: A qualitative study exploring the views of patients, carers and professionals. *BMJ*;7:e013067. doi:10.1136/bmjopen-2016-013067

Buschke, H., Kuslansky, G. & Katz, M. (1999). Screening for Dementia with the Memory Impairment Screen. *Neurology*, 52(2): 231-238.

Byszewski, A.M., Molnar, F.J., Aminzadeh, F., Eisner, M., Gardezi, F. & Bassett, R. (2007). Dementia Diagnosis Disclosure: A study of patient and caregiver perspectives. *Alzheimer's Disease and Associated Disorders*, 21(2): 107-114.

Cahill, S., Clark, M., Walsh, C., O'Connell, H. & Lawlor, B. (2006). Dementia in Primary Care: The first survey of Irish general practitioners. *International Journal Of Geriatric Psychiatry*, 21(4): 319-24.

Cahill, S. M., Gibb, M., Bruce, I., Headon, M. & Drury, M. (2008). 'I was worried coming in because I don't really know why it was arranged': the subjective experience of new patients and their primary caregivers/supporters attending a memory clinic. *Dementia*, 7(1): 175-189.

Cahill, S., O'Shea, E., & Pierce, M. (2012). *Creating Excellence in Dementia Care: A research review for Ireland's National Dementia Strategy*. Dublin and Galway: Trinity College Dublin and National University of Ireland, Galway.

Calvo-Perxas, L., Aguirregomez, M., Casas, I., Flaque, M., Hernandez, M., Linares, M., Silva, Y., Viñas, M., López-Pousa, S., Garre-Olmo, J. (2015). Rate of Dementia Diagnosis According to the Degree of Aging of the Population. *International Psychogeriatrics*, 27(3), 419-427).

Campbell, S., Manthorpe, J., Samsi, K., Abley, C., Robinson, L., Watts, S., Bond, J. & Keady, J. (2016). Living with Uncertainty: Mapping the transition from pre-diagnosis to a diagnosis of dementia. *Journal of Ageing Studies*, Apr(37): 40-7.

Carpenter, B. & Dave, J. (2004). Disclosing a Dementia Diagnosis: A review of opinion and practice, and a proposed research agenda. *Gerontologist*, 44(2): 149-158.

Carter, J.E., Oyebode, J.R. and Koopmans, C.M. (2018). Young-onset Dementia and the Need for Specialist Care: A national and international perspective. *Ageing & Mental Health*, 22(4): 468-473.

CCCDT5 participants. Recommendations of the 5th Canadian Consensus Conference on the diagnosis and treatment of dementia. *Alzheimer's Dement.* 2020 Aug; 16(8):1182-1195. doi: 10.1002/alz.12105. Epub 2020 Jul 29.

Centre for Economic and Social Research on Dementia, Irish Dementia Working Group and The Alzheimer Society of Ireland (2020). *Hear our Voice! Guidelines for involving people with dementia in policy, advisory, consultation and conference activities*. Galway: NUI Galway.

Chaudhury, H., & Cooke, H. (2014). 'Design Matters in Dementia Care: The role of the physical environment in dementia care settings', in M. Downs and B. Bowers (ed.) *Excellence in Dementia Care*. Open University, pp. 144-158

Chrisp, T. A., Thomas, B. D., Goddard, W. A. & Owens, A. (2011). Dementia Timeline: Journeys, delays and decisions on the pathway to an early diagnosis. *Dementia*, 10(4): 555-570,

Chrisp, T.A., Tabberer, S., Thomas, B.D. & Goddard, W.A. (2012). Dementia Early Diagnosis: Triggers, supports and constraints affecting the decision to engage with the health care system. *Ageing and Mental Health*, 16(5): 559-565.

Clare, L. (2016). *An Enablement Approach to Dementia Care and Prevention*. International Federation on Aging Global Summit, Copenhagen, April 2016. Available at: <http://www.ifa-copenhagen-summit.com/wp-content/uploads/2016/04/Clare-2016-An-enablement-approach-to-dementia-care-and-prevention.pdf>

Clare, L. (2002). We'll fight as long as we can: Coping with the onset of Alzheimer's disease. *Ageing and Mental Health*, 6(2): 139–148.

Coffey, A., Cornally, N., Hegarty, J., O'Caioimh, R., O'Reilly, P., O'Loughlin, C., Drennan, J., Clarke, C., Hartigan, I (2018). *Evaluation of The Alzheimer Society of Ireland Dementia Adviser Service*. Tullamore: National Dementia Office.

Connell, C.M., Boise, L., Stuckey, J.C., Holmes, S.B., Hudson, M.L. (2004). Attitudes Toward the Diagnosis and Disclosure of Dementia among Family Caregivers/supporters and Primary Care Physicians. *Gerontologist*, 44(4): 500-507.

Cullen, K. (2020) *Evaluation of the Role, Contribution and Value of the Memory Technology Resource Room (MTRR) Programme*. Tullamore: National Dementia Office.

Copeland, E., Hodge, S., Clary, L. & Cartwright, V. (2018) *Memory Services National Accreditation Programme; Standards for Memory Services*. London: Royal College of Physicians.

Dean, A., & Willis, S. (2016). The use of protocol in breaking bad news: evidence and ethos. *International Journal of Palliative Nursing*, 22(6): 265–271.

DEEP (2015) *Dementia words matter: Guidelines on language about dementia*. [Online]. Available at: <http://dementivoices.org.uk/wp-content/uploads/2015/03/DEEP-Guide-Language.pdf>

De Lepeleire, J., Wind, A. W., Lliffe, S., Moniz-Cook, E. D., Willcock, J., Gonzalez, V.M., Derksen, E., Gianelli, M.V., Vernooij-, M., Interdem Group [Corporate Author] (2008). The primary care diagnosis of dementia in Europe: an analysis using multidisciplinary, multinational expert groups. *Ageing and Mental Health*, 12(5): 568-76.

Del Vento, A., Bavelas, J., Healing, S., MacLean, G., & Kirk, P. (2009). An Experimental Investigation of the Dilemma of Delivering Bad News. *Patient Education and Counselling*, 77(3): 443–449.

Delrieu, J., Voisin, T., Andrieu, S., Belliard, S., Belmin, J., Blanchard, F., Ceccaldi, M., Dartigues, J.F., Defontaines, B., Lehericy, S., Mekies, C., Moreaud, O., Naccache, L., Nourhashemi, F., Ousset, P.J., Pasquier, F., Payoux, P., Puisieux, F., Robert, P., Touchon, J., Vellas, B., Dubois, B. (2009). Mild Alzheimer's Disease: A 'position paper'. *The Journal of Nutrition, Health and Aging*, 13(6): 503-519.

Department of Health (2019). *Appropriate Prescribing of Psychotropic Medication for Non-cognitive Symptoms in People with Dementia* (NCEC National Clinical Guideline No. 21). Dublin: Department of Health. Available at: <https://www.gov.ie/en/collection/ac0046-appropriate-prescribing-of-psychotropic-medication-for-non-cognitive/#>

Department of Health and Children (2009). *Get Ireland Active Guidelines*. Dublin: Department of Health. Available at: <http://www.getirelandactive.ie/content/wp-content/uploads/2011/12/Get-Ireland-Active-Guidelines-GIA.pdf>.

Department of Health. (2020). *Sharing the Vision*. Dublin: Department of Health. Available at: <https://www.gov.ie/en/publication/2e46f-sharing-the-vision-a-mental-health-policy-for-everyone/#>

Department of Health (2014). *The Irish National Dementia Strategy*. Dublin: Department of Health Ireland. Available at: <https://health.gov.ie/wp-content/uploads/2014/12/30115-National-Dementia-Strategy-Eng.pdf>

Derksen, E., Vernooij-Dassen, M., Gillissen, F., Rikkert, M. & Scheltens, P. (2006). Impact of Diagnostic Disclosure in Dementia on Patients and Carers: Qualitative case series analysis. *Ageing and Mental Health*, 10(5): 525-31.

Derksen, E., Vernooij-Dassen, M., Scheltens, P. & Olde-Rikkert, M. (2006). A Model for Disclosure of the Diagnosis of Dementia. *Dementia*, 5(3): 462-468.

Donegan, K., Fox, N., Black, N., Livingston, G., Banerjee, S. & Burns, A. (2017). Trends in diagnosis and treatment for people with dementia in the UK from 2005 to 2015: A longitudinal retrospective cohort study. *Lancet*, 2(3): e149-e15

Donoghue, O., O'Connell, M., & Kenny, A. R. (2016). *Walking to wellbeing: Physical Activity, Social Participation and Psychological Health in Irish adults aged 50 years and Older*. Dublin: Tilda.

Dooley, J., Bailey, C., & McCabe, R. (2015). Communication in healthcare interactions in dementia: A systematic review of observational studies. *International Psychogeriatrics*, 27(8): 1277-300.

Downs, M., Ariss, S.M., Grant, E., Keady, J., Turner, S., Bryans, M., Wilcock, J., Levin, E., O'Carroll, R. & Illife, S. (2006). Family Carers' Accounts of General Practice Contacts for their Relatives with Early Signs of Dementia. *Dementia*, 6(3): 353-73.

Downs, M., Libbens, R.C, Rae, C., Cook, A., and Woods, R. (2002). What do general practitioners tell people with dementia and their families about the condition? A survey of experiences in Scotland. *Dementia*, 1(1): 47–58.

Dröes, R.M. , Chattat R., Diaz , A., Gove D., Graff, M. Murphy, K., Verbeek, H., Vernooij-Dassen M., Clare, L., Johannessen, A., Roes , M., Verhey, F. and Charras, K. (2017) Social health and dementia: a European consensus on the operationalization of the concept and directions for research and practice. *Aging and Mental Health*, 21(2): 4-17.

Dubois, B., Padovani, A., Scheltens, P., Rossi, A., & Dell'Agnello, G. (2016). Timely Diagnosis for Alzheimer's Disease: A Literature Review on Benefits and Challenges. *Journal of Alzheimer's Disease*, 49(3): 617–631.

Dubois B, Burn D, Goetz C, Aarsland D, Brown RG, Broe GA, Dickson D, Duyckaerts C, Cummings J, Gauthier S, Korczyn A, Lees A, Levy R. et al (2007). Diagnostic procedures for Parkinson's disease dementia: recommendations from the movement disorder society task force. *Mov Disord*, 22(16):2314-24.

Duggleby, W.D., Degner L., Williams, A., Wright, K., Cooper, D., Popkin, D., Holtslander, L. (2007). Living with hope: initial evaluation of a psychosocial hope intervention for older palliative home care patients. *Journal of Pain Symptom Management*, 33 (3): 247–57.

Elson, P. (2006). Do older adults presenting with memory complaints wish to be told if later diagnosed with Alzheimer's disease? *International Journal of Geriatric Psychiatry*, 21(5): 419–425.

Elvish, R., Lever, S. J., Johnstone, J, J., Cawley, R. & Keady, J. (2013). Psychological interventions for caregivers/supporters of people with dementia: a systematic review of quantitative and qualitative evidence. *Counselling and Psychotherapy Research*, 13(2): 106–125.

Eramudugolla, R., Mortby, M.E., Sachdev, P., Meslin, C., Kumar, R., & Anstey, K. J. (2017). Evaluation of a Research Diagnostic Algorithm for DSM-5 Neurocognitive Disorders in a Population-based Cohort of Older Adults. *Alzheimer's Research Therapy*, 9(15).

Fallowfield, L., and Jenkins, V. (2004). Communication sad, bad, and difficult news in medicine. *Lancet*, 363(9405): 312-319.

Fazio, S., Pace, D., Flinner, J., & Kallmyer, B. (2018). The Fundamentals of Person-Centered Care for Individuals With Dementia. *The Gerontologist*, 58(1): S10-S19.

Fazio, S., Pace, D., Flinner J. & Kallmyer B. (2018). The Fundamentals of Person-Centered Care for Individuals With Dementia. *The Gerontologist*, 58(1): S10 S19.

Ferreira, D., Przybelski, S., Lesnick, T., Lemstra, A., Londos, E., Blanc, F., Nedelska, Z., Schwarz, C., Graff-Radford, J. et al (2020). β -Amyloid and tau biomarkers and clinical phenotype in dementia with Lewy bodies. *Neurology*, 95(24): e3257-e3268.

Fisk, J.D., Beattie, B.L., Donnelly, M., Byszewski, A. & Molnar, F.J. (2007). Disclosure of the Diagnosis of Dementia. *Alheimers Dementia*, 3(4):404-410.

Foley, T., Boyle, S., Jennings, A. & Smithson, W.H. (2018). The development and evaluation of peer-facilitated dementia workshops in general practice. *Education for Primary Care*, 29(1): 27-34.

Foley, T. & Jennings, A. (2016). *Dementia Care in General Practice: Facilitator's Workshop Guide*. University College Cork, Ireland.

Foley, T., Jennings, A. & Swanick, G. (2019). *Dementia: Diagnosis and Management in General Practice*. Dublin: Irish College of General Practitioners, Quality in Practice Committee.

Folstein, M.F., Folstein, S.E. & McHugh, P.R. (1975). "Mini-mental state" A practical method for grading the cognitive state of patients for the clinician". *Journal of Psychiatric Research*, 12(3): 189–98.

Fox, S., Cahill, S., McGowan, R., & Kilty, C. (2020). *A Review of Diagnostic and Post Diagnostic Processes and Pathways for People Living with Younger Onset Dementia*. Tullamore: National Dementia Office.

Frank, C. & Forbes, R. F. (2017). A Patient's Experience in Dementia Care: Using the 'lived experience' to improve care. *Canadian family physician Medecine de famille canadien*, 63(1): 22–26.

Frank, L., Lloyd, A., Flynn, J.A., Kleinman, L., Matza, L., Margolis, M. K., Bowman, L. & Bullock., R. (2006). Impact of Cognitive Impairment on Mild Dementia Patients and Mild Cognitive Impairment Patients and their Informants. *International Psychogeriatrics*, 18(1): 151-162.

Gail Mountain (2017). Self-management programme for people with dementia and their spouses demonstrates some benefits, but the model has limitations. *Evidenced Based Nursing*, 20(1): 26-27.

Gallagher, M., Lopez, S., Ong, A., Standiford, T. & Deshpande, S. (2018). Hope and Stress Resilience. In M. Gallagher & S. Lopez (eds) *The Oxford Handbook of Hope*. Oxford University Press.

Gallagher-Thompson, D., & Coon, D. W. (2007). Evidence-based psychological treatments for distress in family caregivers/supporters of older adults. *Psychology and Ageing*, 22(1): 37–51.

Galvin, M. Howard, E. and Lawlor, B. (2020). *Evaluation of the Framework for Dementia: Understand Together in Communities*. Dublin: Health Service Executive.

Garrard, E., & Wrigley, A. (2009). Hope and Terminal Illness: False hope versus absolute hope. *Sage Journals*, 4(1): 38–43.

Gaugler, J.E., Gallagher-Winker, K., Kehrberg, K., Lunde, A.M., Marsolek, C.M., Ringham, K., Thompson, G. & Barclay, M. (2011). The Memory Club: Providing Support to Persons with Early-Stage Dementia and Their Care Partners. *American Journal of Alzheimer's Disease and Other Dementias*, 26(3): 218–226.

- Gaugler, J. Westra, B. & Kane, R. (2016). Professional discipline and support recommendations for family caregivers of persons with dementia. *International Psychogeriatric*, 28(6): 1029-1040.
- Gelman, C. & Rhames, K. (2016). In their Own Words: The experiences and needs of children in younger-onset Alzheimer's disease and other dementias families. *Dementia*, 17(3): 337-358.
- Gibb, M. (2019). *Memory Assessment Services Ireland: A report on the proceedings of the meeting on 30.05.2019*. Dublin: Dementia Services Information and Development Centre.
- Gibb, M., & Begley, E. (2017). *A Guide to Memory Clinics in Ireland*. Dublin: Dementia Services Information and Development Centre.
- Gibb, M., O'Cahey, D., Craig, C., & Begley, E. (2019). *The Next Steps: Dementia post-diagnostic support guidance*. Tullamore: National Dementia Office.
- Glendinning, C., Clarke, S., Hare, P., Maddison, J. & Newbronner, L. (2008). Progress and Problems in Developing Outcomes-focused Social Care Services for Older People in England. *Health Social Care Community*, 16(1): 54-63.
- Goldman, J.S., Hahn, S.E., Catania, J.W., LaRusse-Eckert, S., Butson, M.B., Rumbaugh, M., Strecker, M.N., Roberts, J.S., Burke, W., Mayeux, R., Bird, T. (2011). Genetic counseling and testing for Alzheimer disease: joint practice guidelines of the American College of Medical Genetics and the National Society of Genetic Counselors. *Genet Med*, 13(6):597-605.
- Goldsilver, P., & Gruneir, R. (2001). Early-stage dementia group: An innovative model of support for individuals in the early stages of dementia. *American Journal of Alzheimer's Disease and other Dementias*, 16(2): 109–114.
- Gorno-Tempini, M.L., Hillis, A. E., Weintraub, S., Kertesz, A., Mendez, M., Cappa, S.F., Ogar, J.M., Rohrer, J.D., Black, S. et al (2011). Classification of primary progressive aphasia and its variants. *Neurology*, 76(11): 1006-1014.
- Gruters, A.A.A., Christie, L. H., Inez, H. G. B., Ramakers, R. J. F., Verhey, P.C. R., Kessels, C., de Vugt, E, M. (2020). Neuropsychological Assessment and Diagnostic Disclosure at a Memory Clinic: A qualitative study of the experiences of patients and their family members, *The Clinical Neuropsychologist*, Apr. 17: 1-17.
- Guss, R. (2014). *A Guide to Psychosocial Interventions in Early Stages of Dementia*. Leicester: Division of Clinical Psychology Faculty of the Psychology of Older People, The British Psychological Society.
- Hall, M. & Sikes, P. (2016). How do Young People 'do' Family where there is a Diagnosis of Dementia? *Families, Relationships and Societies*, 7(2): 207-225.
- Harman, G., & Clare, L. (2006). Illness representations and lived experience in early-stage dementia. *Qualitative health research*, 16(4): 484–502.

Harvey RJ, Skelton-Robinson M, Rossor MN. (2003). The prevalence and causes of dementia in people under the age of 65 years. *J Neurol Neurosurg Psychiatry*, 74(9):1206–9.

Hashim, M.J. (2017). Patient-Centered Communication: Basic Skills. *Am Fam Physician*, 95(1):29-34.

Health Service Executive (2020). *Estimated Dementia Prevalence*. Available at:

<http://dementiapathways.ie/permacache/fdd/cf3/792/e223695cf65ee173882bdc394de3a8fc.pdf>

Health Service Executive (2009). *Lost in Translation: Good Practice Guidelines for HSE Staff in Planning, Managing and Assuring Quality Translations of Health Related Material into Other Languages*. Available at:

<https://www.hse.ie/eng/services/publications/socialinclusion/lostintranslationreport.pdf>

Herrmann, N., Lanctôt, K. L., Sambrook, R., Lesnikova, N., Hébert, R. & McCracken, P. (2006). The contribution of neuropsychiatric symptoms to the cost of dementia care. *International Journal of Geriatric Psychiatry*, 21(10), 972–976. Available at: doi:10.1002/gps.1594

Hickey, D., Glynn, R.W., Shelley, E. & Lawlor, B. (2019). The Impact of a National Public Awareness Campaign on Dementia Knowledge and Help-Seeking Intention in Ireland. *European Journal of Public Health*, 29(4).

Hopper, L. and Bowen, C. (2021). *Development of a Model for the National Dementia Registry*. Dublin: Dublin City University.

Hort, J., O'Brien, J., T, Gainotti, G., Pirttila, T., Popescu, B.O, Rektorova, I. & Sorbi, S. (2010). EFNS-ENS guidelines on the diagnosis and management of Alzheimer's disease. *European Journal of Neurology*, 17 (10):1236-1248

Howard, E., Quinn, A. & Cohen, A. (2019). *Developing Integrated Personalised Supports for People with Dementia Part 3: Recommendations based on learning from the implementation of a programme across eight sites in Ireland*. Dublin: Genio/Health Service Executive.

Husband, H, J. (1999). The psychological consequences of learning a diagnosis of dementia: three case examples. *Ageing and Mental Health*, 3(2):179-183.

Iliffe, S., Eden, A., Downs, M., and Rae, C. (1999). The diagnosis and management of dementia in primary care: Development, implementation and evaluation of a national training programme. *Ageing and Mental Health*, 3 (2): 129-135.

Innes, A., Szymczynska, P., & Stark, C. (2014). Dementia diagnosis and post-diagnostic support in Scottish rural communities: Experiences of people with dementia and their families. *Dementia*, 13(2): 233–247.

Institute for Health and Care Excellence (2018) (NG97) Dementia: assessment, management and support for people living with dementia and their carers. *NICE*. Available at :

<https://www.nice.org.uk/guidance/ng97/resources/dementia-assessment-management-and-support-for-people-living-with-dementia-and-their-carers-pdf-1837760199109>

- Jack, C. Bennett, D., Blennow, K., Carrillo, M., Feldman, H., Frisoni, G., Hampel, H., Jagust, W., Johnson, K., Knopman, D., Petersen, R., Scheltens, P., Sperling, R., & Dubois, B. (2016) A/T/N: An unbiased descriptive classification scheme for Alzheimer disease biomarkers. *Neurology*, 87(5): 539-547
- Jesson, F., Amariglio, R. E., van Boxtel, M., Breteler, M., Ceccaldi, M., Chételat, G., Dubois, B., Dufouil, C., Ellis, K. A., van der Flier, W. M. et al. (2014). Subjective Cognitive Decline Initiative (SCD-I) Working Group. A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 10(6): 844–852.
- Jha, A., Tabet, N., Orrell, M. (2001). To tell or not to tell—Comparison of older patient's reaction to their diagnosis of dementia and depression. *International Journal of Geriatric Psychiatry*, 16(9): 879-885
- Jorm, A.F. (1994). A short form of the Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE): development and cross-validation. *Psychological Medicine*, 24(1):145-53.
- Kabat-Zinn, J. (1990) Full Catastrophe Living: Using the Wisdom of Your Body and Mind to Face Stress, Pain, and Illness By Jon Kabat-Zinn. Penguin Radon House.
- Karnieli-Miller, O., Werner, P., Aharon-Peretz, J., Eidelman, S. (2007). Dilemmas in the (un)veiling of the diagnosis of Alzheimer's disease: Walking an ethical and professional tight rope. *Patient Education and Counselling*, 67(3), 307-314.
- Karnieli-Miller, O., Werner, P., Neufeld-Kroszynski, G. and Eidelman, S. (2012). Are you talking to me?! An exploration of the triadic physician-patient-companion communication within memory clinic encounters. *Patient Education and Counselling*, 88(3): 381–390.
- Kessels, R. P. C. (2003). Patients' memory for medical information. *The Journal of the Royal Society of Medicine*, 96(5), 219–222.
- Keogh, F., Pierce, M., Neylon, K. & Fleming, P. (2018). Intensive home care packages for people with dementia: a realist evaluation protocol. *BMC Health Serv Res* 18, 829. Available at: <https://doi.org/10.1186/s12913-018-3630-8>
- Keogh, F., Mountain, G., Jodrell, P. & Lord, K. Psychosocial Interventions for Community-Dwelling People Following Diagnosis of Mild to Moderate Dementia: Findings of a Systematic Scoping Review. *Am J Geriatr Psychiatry*, 27(6):641-65.
- Kim, S., Werner, P., Richardson, A., & Anstey, K.J. (2019). Dementia Stigma Reduction (DESeRVE): Study protocol for a randomized controlled trial of an online intervention program to reduce dementia-related public stigma. *Contemporary Clinical Trials Communications*, 14.
- Kitwood T. M. (1997) *Dementia Reconsidered: The person comes first*. Open University Press.

- Kissel, E.C., & Carpenter, B.D. (2007). It's all in the details: Physician variability in disclosing a dementia diagnosis. *Ageing Mental Health, 11*(3), 273-280.
- Krolak-Salmon, P., Leperre-Desplanques, A. & Maillet, A. (2019). *ACT on Dementia. Work Package 4: Diagnosis and post-diagnosis support for neurocognitive disorders*. Version of 30/10/2019. Available at:
<https://ec.europa.eu/research/participants/documents/downloadPublic?documentIds=080166e5cab79c74&appId=PPGMS>
- Kuhn, D. (2007). Helping Families Face the Early Stages. In C. Cox (Ed.), *Dementia and Social Work Practice*. Springer. New York. pp. 111–127.
- Laakkonen, M. L., Raivio, M. M., Eloniemi-Sulkava, U., Saarenheimo, M., Pietilä, M., Tilvis, R. S., & Pitkälä, K. H. (2008). How do Elderly Spouse Care-givers of People with Alzheimer Disease Experience the Disclosure of Dementia Diagnosis and Subsequent Care? *Journal of Medical Ethics, 34*(6): 427–430.
- Lam, K., Chan, W.S.Y., Luk, J.K.H., & Leung, A.Y.M. (2019). Assessment and diagnosis of dementia: A review for primary healthcare professionals. *Hong Kong Medical Journal, 25*(6): 473-482.
- Lamar, M., Foy, C.M.L., Beacher, F., Daly, E., Poppe, M., Archer, N., Prasher, V., Murphy, K., Morris, R., Simmons, A.m Lovestone, S. & Murphy, D. (2011). Down Syndrome With and Without Dementia: An in vivo proton Magnetic Resonance Spectroscopy study with implications for Alzheimer's disease. *Neuroimage, 57*(1):63-68.
- Langa, K.A. & Levine, D.A. (2014). The Diagnosis and Management of Mild Cognitive Impairment: A Clinical Review. *Journal of the American Medical Association, 312*(23): 2551-2561.
- Langdon, S. A., Eagle, A., & Warner, J. (2007). Making sense of dementia in the social world: a qualitative study. *Social Science & Medicine, 64*(4): 989–1000.
- Lawlor, B. (2018). *Creating a Framework of Hope for Dementia in Ireland*. Paper presented at Headspace Conference 2018. Trinity College Dublin. Available at:
<https://www.youtube.com/watch?v=y-8G8kZhgig>
- Lawlor, B. (2020) Choosing hope over despair in dementia. Editorial. *International Journal of Geriatric Psychiatry, 36*(3): 371-372.
- Lecouturier, J., Bamford, C., Hughes, J.C., Francis, J.J., Foy, R., Johnston, M., & Eccles. M. (2008). Appropriate Disclosure of a Diagnosis of Dementia: Identifying the key behaviours of 'best practice'. *BMC Health Services Research, 8*, 95.
- Lee, L., & Weston, W. W. (2011). Disclosing a Diagnosis of Dementia: Helping learners to break bad news. *Canadian Family Physician, 57*(7): 851–852.
- Lin, K. N., Liao, Y. C., Wang, P. N. & Liu, H. C. (2005). Family Members Favour Disclosing the Diagnosis of Alzheimer's Disease. *International Psychogeriatrics, 17*(5): 679–688.

Livingston, G., Huntley, J., Sommerlad, A., Ames, D., Ballard, C., Banerjee, S., Brayne, C., Burns, A., Cohen-Mansfield, J., Cooper, C. et al. (2020). Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. *Lancet* 396(10248): 413–446.

Livingston, G., Sommerlad, A., Orgeta, V., Costafreda, S.G., Huntley, J., Ames, D., Ballard, C., Banerjee, S., Burns, A. et al. (2017). Dementia Prevention, Intervention and Care. *Lancet*, 16(390): 2673-2734.

Low, L. F., Swaffer, K., McGrath, M., & Brodaty, H. (2017). Do people with early stage dementia experience Prescribed Disengagement®? A systematic review of qualitative studies. *International Psychogeriatrics*, 30(6): 807–83.

Loy, C.T., Schofield, P.R., Turner, A.M. & Kwok, J.B (2014). Genetics of dementia. *Lancet*, 383(9919):828-40.

Lyons, K., Zarit, H. S., Sayer, G. A., & Whitlatch, C. (2002). Caregiving as a Dyadic Process: Perspectives from Caregiver and Receiver. *The Journals of Gerontology*, 57(3): P195-204.

Madan, S., & Pakenham, K. I. (2014). The stress-buffering effects of hope on adjustment to multiple sclerosis. *International journal of Behavioral medicine*, 21(6): 877–890.

Manthorpe, J, Samsi, K, Campbell, S, Abley, C, Keady, J, Bond, J, Watts, S, Robinson, L, Gemski, A, Warner, J, Goodman, C, Drennan, V & Iliffe, S 2011, *The transition from cognitive impairment to dementia: Older people's experiences (in press)*. NIHR Service Delivery and Organisation Programme, Queen's Printer and Controller of HMSO, London. Available at: <http://eprints.kingston.ac.uk/18322/>

Manthorpe, J. & Moniz-Cook, E.D. (2020). *Timely Psychosocial Interventions in Dementia Care; Evidence-Based Practice*. London: Jessica Kingsley Publishers.

Martin A, O'Connor S, Jackson C. (2018). A scoping review of gaps and priorities in dementia care in Europe. *Dementia*, 19(7): 2135-2151.

Mastwyk, M., Ames, D., Ellis, K. A., Chiu, E. & Dow, B. (2014). Disclosing a Dementia Diagnosis: What do patients and family consider important? *International Psychogeriatrics*, 26(8): 1263–1272.

Mastwyk, M., Dow, B., Ellis, K. A. & Ames, D. (2016). Why Attend a Memory Clinic? What do patients and their families want and/or expect? *Australasian Journal on Ageing*, 35(3): 220–224.

Mater Misericordiae University Hospital Ltd (2003). *Guidelines on Breaking Bad News* (2003).

Mazaheri, M., Eriksson, L. E., Heikkilä, K., Nasrabadi, A. N., Ekman, S. L. & Sunvisson, H. (2013). Experiences of Living with Dementia: Qualitative content analysis of semi-structured interviews. *Journal of Clinical Nursing*, 22(21-22): 3032–3041.

McCarron, M., McCallion, P., Reilly, E., Dunne, E., Carroll, R., & Mulryan, N. (2017a). A Prospective 20-year Longitudinal Follow-up of Dementia in Persons with Down Syndrome. *Journal of Intellectual Disability Research*, 61(9): 843-852.

McCarron, M., Haigh, M., McCallion, P., McCallion, P., Carroll, R., Burke, E., McGlinchey, E., O'Donovan, M.A., McCausland, D., Sheerin, F. and O'Dwyer, M. (2017b). *Health, Wellbeing and Social Inclusion: Ageing with an intellectual disability in Ireland*. Dublin: Trinity College Dublin.

McDermott, O., Charlesworth, G., Hogervorst, E., Stoner, C., Moniz-Cook, E., Spector, A., Cspike, E. & Orrell, M. (2019). Psychosocial interventions for people with dementia: a synthesis of systematic reviews. *Aging Mental Health*, 23(4):393-403.

McGowan, B., Gibb, M., Cullen, K. & Craig, C. (2019). *Non-Cognitive Symptoms of Dementia (NCSD): Guidance on Non-pharmacological Interventions for Healthcare and Social Care Practitioners*. Tullamore: National Dementia Office.

McGrath, M. (2013). *Promoting safety in the home: The home-based Memory Rehabilitation Programme for persons with mild Alzheimer's disease and other dementias*. The Health Foundation.

McKeith, I.G., Boeve, B.F., Dickson, D.W., Halliday, G., Taylor, J.P., Weintraub, D., Aarsland, D., Galvin, J., Attems, J., Ballard, C.G et al.. (2017). Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. *Neurology*, 4;89(1):88-100.

McKhann GM, Knopman DS, Chertkow H, Hyman BT, Jack CR Jr, Kawas CH, Klunk WE, Koroshetz WJ, Manly J. et al. (2011). The diagnosis of dementia due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimers Dement*, 7(3):263-9.

McLaughlin, K. & Laird, L. (2019). Timely diagnosis and disclosure of dementia for patients and their families: exploring the views of GPs. *Mental Health Practice*, 23:3.

Mendonca, M.D., Alves, L., and Bugalho, P. (2015). From Subjective Complaints to Dementia: Who is at risk? A systematic review. *American Journal of Alzheimer's Disease and Other Dementias*, 31(2):105-14

Mental Health Commission (2019). *National Standards for Adult Safeguarding*. Dublin: HIQA/MHC. Available at: <https://www.hiqa.ie/sites/default/files/2019-12/National-Standards-for-Adult-Safeguarding.pdf>

Michalowsky, B., Flessa, S., Hertel, J., Goetz, O., Hoffmann, W., Teipel, S., Kilimann, I., Hertel J. & Hoffmann, W. (2017). Cost of Diagnosing Dementia in a German Memory Clinic. *Alzheimer's Research & Therapy*, 9(1): 65.

Milby, E., Murphy, G. & Winthrop, A. (2017). Diagnosis Disclosure in Dementia: Understanding the experiences of clinicians and patients who have recently given or received a diagnosis. *Dementia*, 16(5): 611–628.

- Milne, A. (2010a). The 'D' word: Reflections on the relationship between stigma, discrimination and dementia. *Journal of Mental Health*, 19(2): 227-233.
- Milne, A. (2010b). Dementia screening and early diagnosis: the case for and against. *Health, Risk and Society*, 12(1): 65–76.
- Milne, A. & Peet, J. (2008). *Challenges and resolutions to psycho-social wellbeing for people in receipt of a diagnosis of dementia: a literature review*. London: Mental Health Foundation and Alzheimer's Society.
- Mitchell, A.J., Beaumont, H., Ferguson, D., Yadegarfar, M. and Stubbs, B. (2014). Risk of Dementia and Mild Cognitive Impairment in Older People with Subjective Memory Complaints: Meta-analysis. *Acta Psychiatrica Scandinavica*, 130(6):439–51.
- Mitchell, A.J., Meader, N. & Pentzek, M. (2011). Clinical recognition of dementia and cognitive impairment in primary care: a meta-analysis of physician accuracy. *Acta Psychiatrica Scandinavica*, 124(3): 165-183.
- Mitchell, A.J. & Shiri-Feshki, M. (2009). Rate of Progression of Mild Cognitive Impairment to Dementia--Meta-analysis of 41 Robust Inception Cohort Studies. *Acta Psychiatrica Scandinavica*, 119(4):252–65.
- Mittelman, M., Haley, W.E., Clay, O.J. & Roth, D.L. (2006). Improving caregiver well-being delays nursing home placement of patients with Alzheimer disease. *Neurology*, 67(9): 1592–1599.
- Moniz-Cook, E., Manthorpe, J., Carr, I., Gibson, G., & Vernooij-Dassen, M. (2006). Facing the future: A qualitative study of older people referred to a memory clinic prior to assessment and diagnosis. *Dementia*, 5(3): 375–395.
- Moon, H., & Adam, Betts. K. (2012). The effectiveness of dyadic interventions for people with dementia and their caregivers/supporters. *Dementia*, 12(6): 821–839.
- Moore, V., & Cahill, S. (2013). Diagnosis and disclosure of dementia: A comparative qualitative study of Irish and Swedish General Practitioners. *Aging & Mental Health*, 17(1): 77–84.
- Mormont, E., Jamart, J. & Jacques, D. (2014). Symptoms of Depression and Anxiety After the Disclosure of the Diagnosis of Alzheimer Disease. *Journal Of Geriatric Psychiatry and Neurology*, 27(4): 231-6.
- Murphy, G. & Gair, E. (2013). *Communicating a Diagnosis of Dementia*. Briefing paper for Faculty for Psychology of Older People and Dementia Action Alliance. Available at: https://nationaldementiaaction.org.uk/wp-content/uploads/2019/04/BPS_FPOP_DAA_Communicating_Diagnosis_3-1.pdf
- Narayanan, V., Bista, B., & Koshy, C. (2010). 'BREAKS' Protocol for Breaking Bad News. *Indian Journal of Palliative Care*, 16(2): 61–65.

Nasreddine, Z.S., Phillips, N.A., Bédirian, V., Charbonneau, S., Whitehead, V., Collin, I., Cummings, J.L. & Chertkow, H. (2005). The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *Journal of the American Geriatric Society*, 53(4):695-9.

National Collaborating Centre for Mental Health (2017). *Implementation guide and resource pack for dementia care*. Leeds: Older People's Mental Health and Dementia, NHS England

National Collaborating Centre for Mental Health (NCCMH) (2018). *The Dementia Care Pathway. Full implementation guidance*. London: National Collaborating Centre for Mental Health.

National Dementia Office (2019). *Clinician Survey: Diagnostic processes and practices in Ireland*. Tullamore: National Dementia Office.

National Dementia Office (2019) *Dementia Risk Reduction Factsheet*. Available at: <http://dementiathways.ie/permacache/fdd/cf3/ea8/2fab4656c9133ae35d73a2fb30c076a5.pdf>

National Dementia Office & Alzheimer Society of Ireland (2017). *Dementia Specific Services in the Community Mapping Public and Voluntary Services*. Tullamore: NDO/ASI.

National Institute for Health and Care Excellence (2018). *NICE Guideline 97 (NG 97). Dementia: Assessment, management and support for people living with dementia*. UK: NICE.

National Institute for Health and Care Excellence (2015). *Drugs with anticholinergic effects and risk of cognitive impairment, falls and all-cause mortality. Eyes on Evidence*. UK: NICE.

National Institute for Health and Care Excellence (2015). *NICE Guideline 16 (NG 16.) Dementia, disability and frailty in later life – mid-life approaches to delay or prevent onset*. UK: NICE.

National Medicines Information Centre. Management of dementia (2011). *NMIC Bulletin 17(2)*. Available at: <http://www.stjames.ie/GPsHealthcareProfessionals/Newsletters/NMICBulletins/NMICBulletins2011/Dementia%202011.pdf>

Nielsen, T. R., Svensson, B. H., Rohr, G., Gottrup, H., Vestergaard, K., Høgh, P., & Waldemar, G. (2020). The process of disclosing a diagnosis of dementia and mild cognitive impairment: A national survey of specialist physicians in Denmark. *Dementia*, 19(3): 547–559.

Norberg, A. (2019). Sense of Self Among Persons with Advanced Dementia. In T. Wisniewski (ed) *Alzheimer's Disease*. Brisbane: Codon Publication

O'Brien, J.T., Holmes, C., Jones, M., Jones, R., Livingston, G., McKeith, I., Mittler, P., Passmore, P., Ritchie, C., Robinson, L., Sampson, E., Taylor, J.P., Thomas, A., & Burns, A. (2017). Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. *Journal of Psychopharmacology*, 31(2): 147-168.

- O'Malley, M., Carter, J., Stamou, V., LaFontaine, J., Oyebode, J., & Parkes, J. (2019). Receiving a diagnosis of young onset dementia: a scoping review of lived experiences. *Ageing and Mental Health*, 25(1): 1–12.
- Onyike C. U. (2016). Psychiatric Aspects of Dementia. *Continuum (Minneapolis, Minn.)*, 22(2 Dementia): 600–614.
- O'Shea, E., Keogh, F. & A. Cooney (2019). *The Continuum of Care for People with Dementia in Ireland*. Tullamore: The National Dementia Office.
- O'Shea, E., Keogh, F. & Heneghan, C. (2018). *Post-Diagnostic Support for People with Dementia and their Carers; A literature review*. Tullamore: National Dementia Office.
- Parsons, C.G., Danysz, W., Dekundy, A. & Pulte, I. (2013). Memantine and Cholinesterase Inhibitors: Complementary Mechanisms in the Treatment of Alzheimer's disease. *Neurotoxicity Research*, 24(3): 358–369.
- Paul, C. L., Clinton-McHarg, T., Sanson-Fisher, R. W., Douglas, H., & Webb, G. (2009). Are we there yet? The state of the evidence base for guidelines on breaking bad news to cancer patients. *European Journal of Cancer*, 45(17): 2960–2966.
- Peel, E. (2015). Diagnostic Communication in the Memory Clinic: A conversation analytic perspective. *Ageing & Mental Health*, 19(12): 1123–1130.
- Perron, J. N., Secretan, F., Vannotti, M., Pecoud, A., Favrat, B. (2003). Patient expectations at a multicultural out-patient clinic in Switzerland, *Family Practice*, 20(4): 428–433.
- Perry, M., Drašković, I., Van Achterberg, T., Van Eijken, M., Lucassen, P., Vernooij-Dassen, M., Olde Rikkert, M. (2010). Development and validation of quality indicators for dementia diagnosis and management in a primary care setting. *Journal Of The American Geriatrics Society*, 58(3): 557-63.
- Peterson, R.C., Lopez, O., Armstrong, M.D., Getchius, M.G., Gloss, D., Gronseth, G. S., Marson, D., Pringsheim, T., Day, G.S., Sager, M., Stevens, J. & Grant, A.R. (2018). Practice guideline update summary: Mild cognitive impairment. Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology*, 16; 90(3): 126–135.
- Petersen, R.C., Stevens, J.C., Gangul, M., Tangalos, E.G., Cummings, J.L., DeKosky, S.T. (2001). Practice parameter: early detection of dementia: mild cognitive impairment (an evidence-based review). Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*, 56(9):1133-42.
- Phillips, J., Pond, C. D., Paterson, N. E., Howell, C., Shell, A., Stocks, N. P., Goode, S.M., Marley, J. E. (2012). Difficulties in disclosing the diagnosis of dementia: A qualitative study in general practice. *British Journal of General Practice*, 62(601): 546–553.

- Pierse, T., O'Shea, E. & Carey, P. (2019) Estimates of the prevalence, incidence and severity of dementia in Ireland. *Irish Journal of Psychological Medicine*, 36(2).
- Pierce, M. Keogh, F. Teahan, A. and O'Shea, E. (2019). *Report of an Evaluation of the National Dementia Post-Diagnostic Support Grant Scheme*. Tullamore: National Dementia Office.
- Pierce, M., Cahill, S. & O'Shea, E. (2014). *Prevalence and Projections of Dementia in Ireland, 2011–2046*. Mullingar: Genio.
- Pimlott, N. J., Persaud, M., Drummond, M., Cohen, C. A., Silviu, J. L., Seigel, K., Hollingworth, G. & Dalziel, W. (2009). Family Physicians and Dementia in Canada: Part 2. Understanding the challenges of dementia care. *Canadian Family Physician*, 55(5): 508-9.
- Pinner, G., & Bouman, P. W. (2003). What Should we Tell People about Dementia? *Advances in Psychiatric Treatment*, 9(5): 335-341.
- Pinquart, M. & Sörensen, S. (2006). Helping caregivers/supporters of persons with dementia: which interventions work and how large are their effects? *International Psychogeriatrics*, 18(4): 577–595.
- Porensky, E. K. & Carpenter, B. D. (2016). Breaking bad news: Effects of forecasting diagnosis and framing prognosis. *Patient Education and Counselling*, 99(1):68-76.
- Poyser, A. C., & Tickle, A. (2018). Exploring the experience of the disclosure of a dementia diagnosis from a clinician, patient and carer perspective: a systematic review and Meta-ethnographic synthesis. *Ageing & Mental Health*, 23(20):1605-1615.
- Pratt, R., Wilkinson, H. (2003). A psychosocial model of understanding the experience of receiving a diagnosis of dementia. *Dementia*, 2(2): 181-191.
- Prince, M., Bryce, R. & Ferri, C. (2011). *World Alzheimer Report: The benefits of early diagnosis and intervention*. London: Alzheimer's Disease International.
- Prince, M., Wimo, A., Guerchet, M., Ali, G., Wu, Y. & Prina, M. (2015). *World Alzheimer Report 2015: The Global Impact of Dementia; An analysis of prevalence, incidence, cost and trends*. London: Alzheimer Disease International.
- Quinn, A., McLoughlin, K., Thackeray, K., Jennings, A., Boyle, S. & Foley, T. (2017). *Dementia in Primary Care – An Interprofessional Approach: Facilitator's Workshop Guide*. Cork: University College Cork.
- Rabins PV, Rovner BW, Rummans T, Schneider LS, Tariot PN. Guideline Watch (October 2014): Practice Guideline for the Treatment of Patients With Alzheimer's Disease and Other Dementias. *Focus (Am Psychiatry Publ)*. 15(1):110-128.

Rascovsky, K., Hodges, J. R., Knopman, D., Mendez, M. F., Kramer, J. H., Neuhaus, J., van Swieten, J. C., Seelaar, H., Dopper, E. G. et al. (2011). Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. *Brain: a journal of neurology*, 134(Pt 9): 2456–2477.

Rattinger, G. B., Sanders, C. L., Vernon, E., Schwartz, S., Behrens, S., Lyketsos, C. G., & Tschanz, J. T. (2019). Neuropsychiatric symptoms in patients with dementia and the longitudinal costs of informal care in the Cache County population. *Alzheimer's & dementia (New York, N. Y.)*, 5, 81–88.

Read, S. T., Toye, C., & Wynaden, D. (2020). The Participation of People with Dementia in the Planning of their Care and Support: An integrative literature review. *Dementia*, 19(3): 691–707.

Regan, M. (2016) *The interface between dementia and mental health: an evidence review*. London: Mental Health Foundation.

Renshaw, J., Scurfield, P., Cloke, L. & Orrell, M. (2001). General practitioner's views on the early diagnosis of dementia. *British Journal of General Practice*, 51(462): 7-38.

Reus, V.I., Fochtmann, L.J., Eyler, A.E., Hilty, D.M., Horvitz-Lennon, M., Jibson, M.D., Lopez, O.L., Mahoney, J., Pasic, J., Tan, Z.S., Wills, C.D., Rhoads, R., Yager, J. (2016). The American Psychiatric Association practice guideline on the use of antipsychotics to treat agitation or psychosis in patients with dementia. *Am J Psychiatry*, 173(5):543-546.

Revez, A., Timmons, S., Fox, S., Murphy, A. & O'Shea, E. (2018). *Dementia Diagnostic Services for Ireland: a literature review*. Tullamore: National Dementia Office.

Rice, K., and Warner, N. (1994). Breaking the bad news: What do psychiatrists tell patients with dementia about their illness? *International Journal of Geriatric Psychiatry*, 9(6): 467-471.

Riess, H., Kraft-Todd, G. (2014). E.M.P.A.T.H.Y: a tool to enhance nonverbal communication between clinicians and their patients. *Academic Medicine*, 89(8): 1108-1112.

Riley, R. J., Burgener, S., & Buckwalter, K. C. (2014). Anxiety and stigma in dementia: a threat to aging in place. *The Nursing clinics of North America*, 49(2): 213–231.

Rizzi L, Rosset I, Roriz-cruz M. (2014). Global epidemiology of dementia : Alzheimer's and vascular types. *BioMed Research International*, pp.1-8.

Roberts, R.O., Knopman, D.S., Mielke, M.M., Cha, R.H., Pankratz, V.S., Christianson, T.J.H., Geda, Y.E., Boeve, B.F., Ivnik, R.J. & Tangalos, E.G. (2014). Higher Risk of Progression to Dementia in Mild Cognitive Impairment Cases who Revert to Normal. *Neurology*, 82(4): 317–325.

Robinson, L., Clarke, L. & Evans, K. (2005). Making sense of dementia and adjusting to loss: psychological reactions to a diagnosis of dementia in couples. *Ageing and Mental Health*, 9(4): 337-347.

Robinson, L., Gemski, A., Abley, C., Bond, J., Keady, J., Campbell, S., Manthorpe, J. (2011). The transition to dementia- individual and family experiences of receiving a diagnosis: A review. *International Psychogeriatrics*, 23(7): 1026–1043.

Robinson, L., Iliffe, S., Brayne, C., Goodman, C., Rait, G., Manthorpe, J., Ashley, P. & Moiz-Cook, E. (2010). Primary Care and Dementia: 2. Long-term care at home: psychosocial interventions, information provision, carer support and case management. *International Journal of Geriatric Psychiatry*, 25(7): 657-64.

Robinson, L., Iliffe, S., Brayne, C., Goodman, C., Rait, G., Manthorpe, J., Ashley, P., Moniz-Cook, E., DeNDRoN Primary Care Clinical Studies Group. (2020). Primary care and dementia: Long-term care at home: psychosocial interventions, information provision, carer support and case management. *International Journal of Geriatric Psychiatry*, 25 (7):657-64.

Robinson, A., Elder, J., Emden, C., Lea, E., Turner, P., Vickers, J. (2009) Information pathways into dementia care services: Family carers have their say. *Dementia*, 8(1): 17–37

Rodda, J. & Walker, Z. (2009). Ten Years of Cholinesterase Inhibitors. *International Journal of Geriatric Psychiatry*, 24(5):437- 442.

Román GC, Tatemichi TK, Erkinjuntti T, Cummings JL, Masdeu JC, Garcia JH, Amaducci L, Orgogozo JM, Brun A, Hofman A, et al. (1993). Vascular dementia: diagnostic criteria for research studies. Report of the NINDS-AIREN International Workshop. *Neurology*, 43(2):250-60.

Rosado, D. L., Buehler, S., Botbol-Berman, E., Feigon, M., León, A., Luu, H., Carrión, C., Gonzalez, M., Rao, J., Greif, T., Seidenberg, M., Pliskin, N.H. (2018). Neuropsychological feedback services improve quality of life and social adjustment. *The Clinical Neuropsychologist*, 32(3): 422–435.

Royal College of Psychiatrists Members of executive of Faculty of Old Age Psychiatry (2018). *CR221 Suffering in silence: age inequality in older people's mental health care*. UK: The Royal College of Psychiatrists.

Ruxton, K., Woodman, R. J., & Mangoni, A. A. (2015). Drugs with Anticholinergic Effects and Cognitive Impairment, Falls and All-cause Mortality in Older Adults: A systematic review and meta-analysis. *British Journal of Clinical Pharmacology*, 80(2): 209–220.

HSE National Operational Policy. (2014). *Safeguarding Vulnerable Persons at Risk of Abuse National Policy & Procedures*. Available at: <https://www.hse.ie/eng/services/publications/corporate/personsatriskofabuse.pdf>

Sakai, E.Y. & Carpenter, B. (2010). Linguistic features of power dynamics in triadic dementia diagnostic conversations. *Patient Education and Counselling*, 85(2): 295–8.

Shaw, LM, Arias, J, Blennow, K, Galasko, D, Molinuevo, JL, Salloway, S, Schindler, S, Carrillo, MC, Hendrix, JA, Ross, A, Illes, J, Ramus, C. & Fifer, S. (2018). Appropriate use criteria for lumbar puncture and cerebrospinal fluid testing in the diagnosis of Alzheimer's disease. *Alzheimers Dement*, 14(11):1505-1521.

Sikes, P. & Hall, M. (2018). The Impact of Parental Young-onset Dementia on Children and Young People's Educational Careers. *British Educational Research Journal*, 44(4): 593-607.

- Sinai, A, Mokrysz, C, Bernal, J, Bohnen, I, Bonell, S, Courtenay, K, Dodd, K, Gazizova, D, Hassiotis, A, Hillier, R, McBrien, J, McCarthy, J, Mukherji, K, Naeem, A, Perez-Achiaga, N, Rantell, K, Sharma, V, Thomas, D, Walker, Z, Whitham, S, Strydom, A. (2018). Predictors of Age of Diagnosis and Survival of Alzheimer's Disease in Down Syndrome. *J Alzheimers Dis.*61(2):717-728.
- Singh, O, N., Phillips, K.A., Rodriguez-Gutierrez, R. Castaneda-Guarderas, A., Gionfriddo, M.R., Branda, M.E., Montori, V.M. (2019). Eliciting the Patient's Agenda- Secondary Analysis of Recorded Clinical Encounters. *Journal of Internal General Medicine*, 34(1): 36–40.
- Smebye, K. & Kirkevold, M. (2013). The Influence of Relationships on Personhood in Dementia Care: A qualitative, hermeneutic study. *BMC Nurs.* 12(1):29
- Snyder, C.R., Ilardi, S.S., Cheavens J., Michael, S.T., Yamhure, M., Sympson, S. (2000). The Role of Hope in Cognitive-Behaviour Therapies. *Cognitive Therapy and Research* 24: 747–762
- Stephan, B.C.M., Minett, T., Muniz Terrara, G., Mathews, F.E., & Brayne, C. (2015) Dementia Prediction for People with Stroke in Populations: Is mild cognitive impairment a useful concept? *Age & Aging*, 44(1): 78 -83.
- Stokes, L. A., Combes, H., & Stokes, G. (2014). Understanding the dementia diagnosis: The impact on the caregiving experience. *Dementia*, 13(1): 59–78.
- Strydom, A, Chan, T, King, M, Hassiotis A. & Livingston, G. (2013) Incidence of dementia in older adults with intellectual disabilities. *Res Dev Disabil.* 34(6):1881-5.
- Swaffer, K. (2015). Dementia and Prescribed Disengagement. *Dementia*, 14(1), 3–6.
- Tay, L., Lim, W.S., Chan, M., Ali, N., Mahanum, S., Chew, P., Lim, J. & Chong, M.S. (2015). New DSM-V Neurocognitive Disorders Criteria and their Impact on Diagnostic Classifications of Mild Cognitive Impairment and Dementia in a Memory Clinic Setting. *American Journal of Geriatric Psychiatry*, 23(8):768-779.
- Thompson, C. A., Spilsbury, K., Hall, J., Birks, Y., Barnes, C., & Adamson, J. (2007). Systematic review of information and support interventions for caregivers/supporters of people with dementia. *BMC Geriatric*, 7. Available at: <https://bmgeriatr.biomedcentral.com/articles/10.1186/1471-2318-7-18>
- Timmons, S., Manning, E., Barrett, A., Brady, N.M., Brown, V., O'Shea, E., Molloy, D.W., O'Regan, N.A., Trawley, S., Cahill, S., O'Sullivan, K., Woods, N., Meagher, D., Ni Chorcórain, A.M. and Linehan, J.G. (2015). Dementia in Older People Admitted to Hospital: A regional multi-hospital observational study of prevalence, associations and case recognition. *Age & Aging*, 44(6): 993-999.
- Tuffrey, Wijne, I. (2012). Breaking bad news tool. Available at: <http://www.breakingbadnews.org>
- Tulliani, N., Bissett, M., Bye, R., Chaudhary, K., Fahey, P. & Liu, K. (2019). The efficacy of cognitive interventions on the performance of instrumental activities of daily living in individuals with mild cognitive impairment or mild dementia: protocol for a systematic review and meta-analysis. *Systematic Reviews*, 8(1): 222.

- Van Hout, HP., Vernooij-Dassen, M.J., Jansen, DA., Stalman, WA (2006). Do general practitioners disclose correct information to their patients suspected of dementia and their caregivers/supporters? A prospective observational study. *Aging Mental Health*, 10(2): 151-155.
- Van't Leven, N., Prick, A.J.C., Groenewoud, J. G., Roelofs, P.D.D.M., de Lange, J. & Pot, A.M. (2013). Dyadic interventions for community-dwelling people with dementia and their family caregivers/supporters: a systematic review. *International Psychogeriatrics*, 25(10): 1581–1603.
- Vernooij-Dassen, M., Derksen, E., Scheltens, P., Moniz-Cook, E (2006). Receiving a diagnosis of dementia: the experience over time. *Dementia*, 5(3): 397-410.
- Vernooij-Dassen, M., Leatherman, S., & Rikkert, M. O. (2011). Quality of care in frail older people: The fragile balance between receiving and giving. *BMJ*, 25;342.
- Volpe, U., Amin, H., Ayinde, O. O., Burns, A., Chan, W. C., David, R., Dejanovic, S.D., Djokic, G., Eraslan, D., Fischer, G.A.L et al. (2019). Pathways to care for people for dementia: an international multi-centre study. *International Journal of Geriatric Psychiatry*, 35(2): 163-173.
- Van der Flier, W.M. & Scheltens, P. (2005). Epidemiology and risk factors of dementia. *J Neurol Neurosurg Psychiatr*, 76(Suppl V): v2-v7.
- Waldorff, F., Buss, D., Eckermann, A., Rasmussen, M et al (2012). Efficacy of psychosocial intervention in patients with mild Alzheimer's disease: the multicentre, rater blinded, randomised Danish Alzheimer Intervention Study (DAISY). *BMJ*, 345:e4693.
- Waldorff, F. B., Almind, G., Makela, M., Moller, S. & Waldemar, G. (2003). Implementation of a Clinical Dementia Guideline. *Scandinavian Journal of Primary Health Care*, 21(3): 142-7.
- Walrath, D., and Lawlor, B. (2019). Dementia: towards a new republic of hope. *Lancet*, 39 (10203): 1002-1003.
- Weigand, A.J., Bondi, M.W., Thomas, K.R., Campbell, N.L., Galasko, D, R., Salmon, D.P., Sewell, D., Brewer, J.B., Feldman, H.H. & Delano-Wood, L. (2020). Association of Anticholinergic Medications and AD Biomarkers with Incidence of MCI among Cognitively Normal Older Adults. *American Neurology*, 95 (16): e2295-e2304.
- Weirather, R. R. (2010). Communication strategies to assist comprehension in dementia. *Hawaii Medical Journal*, 69(3): 72–74.
- Werner, P., Karnieli-Miller, O. & Eidelman, S. (2013). Current Knowledge and Future Directions about the Disclosure of Dementia: A systematic review of the first decade of the 21st century. *Alzheimer's & Dementia*, 9(2): 74–88.
- Whitlatch, C. J., Judge, K. S., Zarit, H. S. & Femia, E. (2006). Dyadic intervention for family caregivers/supporters & care receivers in early stage dementia. *The Gerontologist*, 46(5): 688–694.
- Wolverson Radbourne, E. L., Clarke, C., & Moniz-Cook, E. (2010). Remaining hopeful in early-stage dementia: a qualitative study. *Aging & Mental Health*, 14(4): 450–460.

Woods, B., Aguirre, E., Spector, A.E. & Orrell, M. (2003). Dementia: Issues in early recognition and intervention in primary care. *Journal of the Royal Society of Medicine*, 96(7): 320-324.

Woods, B., Arosio, F., Diaz, A., Gove, D., Holmerová, I., Kinnaird, L., Mátlová, M., Okkonen, E., Possenti, M., Roberts, J., Salmi, A., van den Buuse, S., Werkman, W., Georges, J. (2019). Timely diagnosis of dementia? Family carers' experiences in 5 European countries. *International Journal of Geriatric Psychiatry*, 34(1): 114–121.

World Health Organisation (2019a). *Risk Reduction of Cognitive Decline and Dementia: WHO guidelines*. Geneva: World Health Organisation.

World Health Organisation (2019b). *Factsheet on Dementia*. Available at: <http://www.who.int/en/news-room/fact-sheets/detail/dementia>

World Health Organisation (2017) *Dementia: Number of people affected to triple in next 30 years*. Available at: <https://www.who.int/home/07-12-2017-dementia-number-of-people-affected-to-triple-in-next-30-years>

World Health Organisation (2016) *Framework on Integrated People-centred Health Services*. Available at: https://apps.who.int/gb/ebwha/pdf_files/WHA69/A69_39-en.pdf?ua=1&ua=1

World Health Organisation (2015). *Ensuring a Human Rights-based Approach for People Living with Dementia*. WHO, Geneva.

World Health Organisation (2012) *Dementia, A public health priority*. Available at: <https://apps.who.int/iris/handle/10665/75263>.

Zarit, H. S., Femia, E. E., Watson, J., Rice-Oeschger, L., & Kakos, B. (2004). Memory Club: a group intervention for people with early-stage dementia and their care partners. *The Gerontologist*, 44(2): 262–269.

Zeilig, H. (2015). What do you mean when we talk about dementia? Exploring cultural representations of 'Dementia'. *Working with Older People*, 19(1):12-20

Zerr, I., Kallenberg, K., Summers, DM, Romero, C, Taratuto, A, Heinemann, U, Breithaupt, M, Varges, D, Meissner, B, Ladogana, A, Schuur, M, Haik, S, Collins, SJ, Jansen, GH, Stokin, GB, Pimentel, J, Hwer, E, Collie, D, Smith, P, Roberts, H, Brandel, JP, van Duijn, C, Pocchiarri, M, Begue, C, Cras, P, Will, RG & Sanchez-Juan, P. (2009). Updated clinical diagnostic criteria for sporadic Creutzfeldt-Jakob disease. *Brain*, 132(Pt 10):2659-68

Zulman, D.M., Haverfield, M.C., Shaw, J.G., Brown-Johnson, C.G., Schwartz, R., Tierney, A.A., Zions, D.L., Safaeinili, N., Fischer, M., Thadaneys Israni, S., Asch, S.M., Verghese, A. Practices to Foster Physician Presence and Connection With Patients in the Clinical Encounter. *JAMA*, 323(1): 70–81.